

# Stephen H Comfort 7.0

Multifunctional chair



## CHAIR

### Frequent usage

- Multifunctional
- Infusion therapy
- Oncology
- Day Hospital
- Blood samples
- Blood donor
- Emergency
- Dialysis
- Patient's transport
- Dermatology/Cosmetics





ARMRESTS' MOVEMENTS  
SYNCHRONIZED WITH THE BACKREST.

## Benefits



- Anti-tilt frame, it prevents any tilt in every operative conditions.
- Electric low voltage motors.
- The chair is expressly designed to help the patient to easily seat on the chair. Thanks to the option to place the legrest at 90° the access will be easy also for patient with reduced mobility.
- The chair can be equipped with a wide range of accessories.
- The upholstery can be completely sanitized, in order to prevent cross infections, with most common detergents.
- Lying surface in seamless soft foam cushions. The cushions are designed to prevent decubitus wounds.
- Upholstery's features: antibacterial, flame retardant class 11M, antimycotic, ecologic, latex free, phtalate free and resistant.
- Directional braking system ensures high stability to the device.
- Max load capacity 200 kg.



## Standard features

- Painted steel frame in thermosetting and antibacterial powders. Wide range of colours .
- Lying surface divided in 4 sections: headrest, backrest, seat and leg.
- Motorized Trendelenburg position from 0° to 15° - Equipment code AC35/1.
- Height adjustment.
- Two motors allow to move the back section and the leg section independently and simultaneously - Equipment code AC12.
- Leg section: 90° to the seat - Equipment code AC63.
- The armrests are padded and upholstered in soft fabric.
- Armrests' movements are synchronized with the backrest. The armrests can be removed, tilted, adjusted in height, overturned and they can also slide horizontally - Equipment code AC30/C5.
- Height adjustable headrest.
- Leatherette upholstery, elastic, extremely comfortable and completely seamless. The latter feature prevents bacteria proliferation. It can be easily sanitized with the most common detergents. The upholstery is also flame retardant and complies with UNI 9175/87 e 9175FA- 1/94 class 11M (wide range of colours at page 6) - Equipment code AC87/1.
- No. 4 wheels Ø 100 mm antistatic, sturdy, stainless and swivable.
- Directional braking system - Equipment code AC7P1G.
- Integrated footrest with automatic braking system - Equipment code AC153.
- Chair's movements are controlled by handset with a 3,5 mtl coiled cable. The handset is user friendly and has visual pictograms useful for partially sighted people. Handset is equipped by 10 buttons with 2 memories. For patient's safety purpose the handset is provided with an inhibition key - Equipment code AC34P. Insulation IP66.
- Pushing handle behind the backrest - Equipment code AC56/C.
- Handset supports - Equipment code AC25P.
- Soft foam cushions.
- ABS cover for the base section - Equipment code AC83.
- ABS cover for the back section - Equipment code AC86C.



**HANDSET WITH 10 BUTTONS AND 2 MEMORY FUNCTIONS**



**HEIGHT ADJUSTABLE HEADREST.**



**INTEGRATED FOOTREST WITH AUTOMATIC BRAKING SYSTEM - EQUIPMENT CODE AC153.**



**Would you like to customize upholstery or frame?**

Scan or click the QR code and discover how to customize the device consulting our colour chart.

## Armrests' movements



■ FIG. 1/2 - SYNCHRONIZED WITH THE BACKREST




■ FIG. 3 - SWIVABLE



■ FIG. 4 - HEIGHT ADJUSTMENT



■ FIG. 5 - REMOVABLE



■ FIG. 6 - OVERTURNING FOR EASY ACCESS



■ FIG. 7 - TILTABLE




■ FIG. 8 - HORIZONTAL SLIDING FUNCTION




## Movements

TRENDELENBURG



CLINOSTATIC



## Recommended accessories



### AC157

Stephen H Comfort 7.0 can be equipped with a 3D headrest with multiple articulation and adjusting. The chair can be equipped with 8 different nuchal supports. These supports can be easily plugged through a magnet.

#### HEADREST MOVEMENTS (STANDARD HEADREST)



All the headrests can be changed, tilted, adjusted and removed.

#### OTHER AVAILABLE HEADRESTS



#### OCCIPITAL WRAPPING HEADREST

Code ACS1 - adult  
Code ACS1P - child

#### ERGONOMIC "X" SHAPED HEADREST

Code ACS3 - adult  
Code ACS3P - child

#### NUCHAL WRAPPING HEADREST


Code ACS2 - adult  
Code ACS2P - child



#### HEAD SECTION WITH NUCHAL HOLE

Headrest code ACS4/1: 3D kinematic mechanism; bilateral adjustment +/-15°; longitudinal rotation 180°; height adjustment and nuchal hole with removable padding.

#### BACKREST FEATURES



## Recommended accessories

### AC4P



Swivable IV pole adjustable in height. Made out of stainless steel. Available with 2 or 4 hooks.

### AC14P



Stainless steel toolrest, swivel and adjustable in height, on accessories pole. Size 250x120x60h mm (customizable upon request).

### AC11/C



Paper roll holder for Stephen H Comfort. Suitable for paper rolls up to 600 mm Ø 140 mm.

### AC87




Silionic upholstery. Please refer to the colour chart.



### Would you improve this device?

Scan or click the QR code and discover how to customize the device consulting our colour chart.

## Dimensions



The dimensions showed on the catalogue are purely illustrative and they may go through changes.



## Technical sheet

GMDN Code	<b>38447</b>
ID Code	<b>GB0004.SP-7</b> Painted steel
Intended use	Multifunctional chair
Manufacturer	GARDHEN BILANCE SRL
Overall weight	70 kg
Wheels	Nr.4 swivable wheels 100 mm, stainless with braking system
Power	100 - 240 Vac 50/60 Hz
Electric motors	Low voltage (24 V)
Max electrical input	4A
Insulation	IP44
Max load	200 kg
Safety working load	235 kg

### MAIN CORD



Type F - Schuko



Type L - 16A



Type I - Australia



Type B - Canada and USA



Type G - UK plug

For certifications please refer to "Certifications and Quality system" section

Pictures contained in this brochure is for illustrative purpose only. The manufacturer reserves the right to modify the projects without notice. For accessories identification please refer to the accessory catalogue or commercial offer. When data are different please refer to commercial offer.

Dep. EN\_72 rev. 21/03/2023